



## Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard ( 29CFR 1910.1200)

**Product name** ANSULITE AR-33-D RECHARGE AGENT

### 1. Identification

#### 1.1. Product Identifier

**Product name** ANSULITE AR-33-D RECHARGE AGENT

#### 1.2. Other means of identification

**Product code** 000055  
**Synonyms** None  
**Chemical Family** No information available

#### 1.3. Recommended use of the chemical and restrictions on use

**Recommended use** No information available  
**Uses advised against** Consumer use

#### 1.4. Details of the Supplier of the Safety Data Sheet

**Company Name** Tyco Fire Protection Products  
One Stanton Street  
Marinette, WI 54143-2542  
Telephone: 715-735-7411  
**Contact point** Product Stewardship at 1-715-735-7411  
**E-mail address** psra@tycofp.com

#### 1.5. Emergency Telephone Number

**Emergency telephone** CHEMTREC 800-424-9300 or 703-527-3887

### 2. Hazards Identification

#### Classification

#### OSHA Regulatory Status

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### 2.2. Label Elements

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### Precautionary Statements

#### 2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

#### 2.4. OTHER INFORMATION

Unknown Acute Toxicity 2.12224% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/information on Ingredients

#### 3.1. Mixture



Product code 000055

Product name ANSULITE  
AR-33-D RECHARGE AGENT

PAGE 2 / 8

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	1 - 5

#### 4. First aid measures

##### 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.).
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately.

##### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** No information available.

##### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Treat symptomatically.

#### 5. Fire-fighting measures

##### 5.1. Suitable Extinguishing Media

Product is extinguishing agent. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

##### 5.2. Unsuitable Extinguishing Media

None.

##### 5.3. Specific Hazards Arising from the Chemical

None known.

**Hazardous Combustion Products** Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

##### 5.4. Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### 5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Ensure adequate ventilation, especially in confined areas.



Product code 000055

/ Product name ANSULITE /  
AR-33-D RECHARGE AGENT

PAGE 3 / 8

**For emergency responders** Use personal protection recommended in Section 8.

**6.2. Environmental Precautions**  
**Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

**6.3. Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.

**7. Handling and Storage**

**7.1. Precautions for Safe Handling**

**Advice on safe handling** Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** Strong oxidizing agents. Strong acids. Strong bases.

**8. Exposure Controls/Personal Protection**

**8.1. Control Parameters**

**Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-Butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

**8.2. Appropriate Engineering Controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**8.3. Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Avoid contact with eyes. Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Ventilation** Use local exhaust or general dilution ventilation to control exposure with applicable limits

**8.4. General hygiene considerations**

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.



## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	Color	Light yellow
Odor	Characteristic		
odor threshold	No data available		

<u>Property</u>	<u>VALUES</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point/freezing point	No data available	
Boiling point / boiling range	100 °C / 212 °F	
Flash Point	> 100 °C / > 212 °F	
Evaporation Rate	No data available	
flammability (solid, gas)	No data available	
Flammability limit in air		
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Specific gravity	No data available	
Water Solubility	No data available	
Solubility in Other Solvents	No data available	
Partition coefficient	No data available	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Kinematic viscosity	No data available	

density	1
---------	---

## 10. Stability and Reactivity

### 10.1. Chemical Stability

Stable under recommended storage conditions.

### 10.2. Reactivity

No data available

### 10.3. Possibility of hazardous reactions

None under normal processing.

hazardous polymerization	Hazardous polymerization does not occur.
--------------------------	------------------------------------------

### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

### 10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products



Product code 000055

Product name ANSULITE  
AR-33-D RECHARGE AGENT

PAGE 5 / 8

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

**11. Toxicological Information****11.1. Information on Likely Routes of Exposure**

Product information	no data available
INHALATION	no data available.
Eye Contact	no data available.
Skin contact	no data available.
INGESTION	no data available.

**Acute Toxicity**

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
2-(2-Butoxyethoxy)ethanol 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-

**11.2. Information on Toxicological Effects****Symptoms** No information available.**11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure**

sensitization	No information available.
Germ Cell Mutagenicity	No information available
carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Aspiration Hazard	No information available.

**11.4. Numerical Measures of Toxicity - Product information****12. Ecological Information****12.1. ecotoxicity**

Not classified

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 96 h > 100 mg/L Desmodesmus subspicatus	LC50 96 h = 1300 mg/L Lepomis macrochirus static	EC50 24 h = 2850 mg/L Daphnia magna EC50 48 h > 100 mg/L Daphnia magna
2-Methyl-2,4-pentanediol 107-41-5	-	LC50 96 h 10500 - 11000 mg/L Pimephales promelas flow-through LC50 96 h = 10000 mg/L Lepomis macrochirus static LC50 96 h = 8690 mg/L Pimephales promelas flow-through LC50 96 h = 10700 mg/L Pimephales promelas static	EC50 48 h 2700 - 3700 mg/L Daphnia magna
t-Butanol 75-65-0	EC50 72 h > 1000 mg/L Desmodesmus subspicatus	LC50 96 h 6130 - 6700 mg/L Pimephales promelas flow-through	EC50 48 h = 933 mg/L Daphnia magna EC50 48 h 4607 - 6577 mg/L Daphnia magna Static
Sodium chloride 7647-14-5	-	LC50 96 h 5560 - 6080 mg/L Lepomis macrochirus flow-through	EC50 48 h = 1000 mg/L Daphnia magna EC50 48 h 340.7 - 469.2



		LC50 96 h = 12946 mg/L Lepomis macrochirus static LC50 96 h 6020 - 7070 mg/L Pimephales promelas static LC50 96 h = 7050 mg/L Pimephales promelas semi-static LC50 96 h 6420 - 6700 mg/L Pimephales promelas static LC50 96 h 4747 - 7824 mg/L Oncorhynchus mykiss flow-through	mg/L Daphnia magna Static
n-Butanol 71-36-3	EC50 72 h > 500 mg/L Desmodemus subspicatus EC50 96 h > 500 mg/L Desmodemus subspicatus	LC50 96 h = 1910000 µg/L Pimephales promelas static LC50 96 h 100000 - 500000 µg/L Lepomis macrochirus static LC50 96 h = 1740 mg/L Pimephales promelas flow-through LC50 96 h 1730 - 1910 mg/L Pimephales promelas static	EC50 48 h = 1983 mg/L Daphnia magna EC50 48 h 1897 - 2072 mg/L Daphnia magna Static
Sodium Hydrogen Carbonate 144-55-8	EC50 120 h = 650 mg/L Nitzschia linearis	LC50 96 h 8250 - 9000 mg/L Lepomis macrochirus static	EC50 48 h = 2350 mg/L Daphnia magna
Hexamethylenetetramine 100-97-0	-	LC50 96 h 44600 - 55600 mg/L Pimephales promelas flow-through	EC50 48 h 29868 - 43390 mg/L Daphnia magna
Methylene chloride 75-09-2	EC50 96 h > 500 mg/L Pseudokirchneriella subcapitata EC50 72 h > 500 mg/L Pseudokirchneriella subcapitata	LC50 96 h 140.8 - 277.8 mg/L Pimephales promelas flow-through LC50 96 h 262 - 855 mg/L Pimephales promelas static LC50 96 h = 193 mg/L Lepomis macrochirus static LC50 96 h = 193 mg/L Lepomis macrochirus flow-through	EC50 48 h 1532 - 1847 mg/L Daphnia magna Static EC50 48 h = 190 mg/L Daphnia magna
1,3-Dichloropropene 542-75-6	EC50 96 h 2.45 - 6.45 mg/L Pseudokirchneriella subcapitata EC50 72 h 3.12 - 10.5 mg/L Pseudokirchneriella subcapitata	LC50 96 h 1.52 - 2.68 mg/L Pimephales promelas static LC50 96 h 0.211 - 0.271 mg/L Pimephales promelas flow-through LC50 96 h 3.1 - 4.9 mg/L Oncorhynchus mykiss static LC50 96 h = 4.5 mg/L Oncorhynchus mykiss semi-static LC50 96 h = 2 mg/L Oncorhynchus mykiss LC50 96 h 5.1 - 6.8 mg/L Lepomis macrochirus static	EC50 48 h 0.063 - 0.129 mg/L Daphnia magna Static EC50 48 h = 0.09 mg/L Daphnia magna

**12.2. Persistence and Degradability**

No information available.

**12.3. Bioaccumulation**

No information available.

**12.4. Other Adverse Effects**

No information available

**13. Disposal Considerations**

**13.1. Waste Treatment Methods**

**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.



Product code 000055

/ Product name ANSULITE /  
AR-33-D RECHARGE AGENT

PAGE 7 / 8

**Contaminated Packaging** Do not reuse container.

**14. Transport Information**

<u>DOT</u>	NOT REGULATED
<u>TDG</u>	NOT REGULATED
<u>MEX</u>	NOT REGULATED
<u>ICAO (air)</u>	NOT REGULATED
<u>IATA</u>	NOT REGULATED
<u>IMDG</u>	NOT REGULATED

**15. Regulatory Information**

**15.1. International Inventories**

TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

**15.2. US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	No
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**



Product code 000055

Product name ANSULITE  
AR-33-D RECHARGE AGENT

PAGE 8 / 8

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**15.3. US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Methylene chloride - 75-09-2	Carcinogen
1,3-Dichloropropene - 542-75-6	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X
1-(3-Chloroallyl)-3,5,7-triaza-1-azoni a Adamantane chloride 4080-31-3	X	-	-
Hexamethylenetetramine 100-97-0	X	-	-
Methylene chloride 75-09-2	X	X	X
1,3-Dichloropropene 542-75-6	X	X	X

**16. Other information, including date of preparation of the last revision**

<b>NFPA</b>	Health Hazards 0	flammability 0	Instability 0	Physical and chemical properties -
<b>HMIS</b>	Health Hazards 0	flammability 0	Physical Hazards 0	Personal Protection X

Revision date 16-Aug-2016

**Revision note**

No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet